

Pool

Beach

Service

	E	QUIPMENT SC	HEDULE		
ItemNo	Category	Mfr	Model	Quantity	Equipment Remarks
1	ICE BIN	KROWNE	KR18-24	1	
2	CORNER ANGLE FILLER	KROWNE	KR18-R15	4	
3	BLENDER STATION	KROWNE	KR18-12BD	1	
4	BOTTLE DISPLAY	KROWNE	KR18-12RD-LC	1	
5	UNDERBAR SINK UNITS	KROWNE	KR18-33C	1	
6	BOTTLE COOLER	KROWNE	BC24-SS	1	
7	STORAGE CABINET	KROWNE	KR18-SD24	1	
8	REFRIGERATED BACKBAR CABINET	KROWNE	BS36L	1	
9	DISHWASHER, UNDERCOUNTER	JACKSON WWS	WAREFORCE UL30	1	
11	ICE BIN	KROWNE	KR18-24	2	
12	CORNER ANGLE FILLER	KROWNE	KR18-R15	5	
13	BLENDER STATION	KROWNE	KR18-12BD	2	
14	BOTTLE DISPLAY	KROWNE	KR18-18RD-LC	2	
15	UNDERBAR SINK UNITS	KROWNE	KR18-33C	1	
16	BOTTLE COOLER	KROWNE	BC48-SS	1	
17	STORAGE CABINET	KROWNE	KR18-SD48	1	
19	REFRIGERATED BACKBAR CABINET	KROWNE	BS60R	1	
20	UNDERBAR ADD-ON UNIT	KROWNE	KR18-T14R	1	
21	STORAGE CABINET	KROWNE	KR18-SD36	1	
22	UNDERBAR ADD-ON UNIT	KROWNE	KR18-T12	1	
31	ICE BIN	KROWNE	KR18-24	1	
32	BLENDER STATION	KROWNE	KR18-12BD	1	
33	BOTTLE DISPLAY	KROWNE	KR18-18RD-LC	1	
34	UNDERBAR ADD-ON UNIT	KROWNE	KR18-T12	1	
35	STORAGE CABINET	KROWNE	KR18-SD30	1	
36	REFRIGERATED BACKBAR CABINET	KROWNE	BS60L	2	
37	ICE CUBER WITH BIN	SCOTSMAN	CU3030MA-32	1	

EQUIPMENT LAYOUT

All Dimensions to be verified on the job site.
Actual locations for floor drains, and any ventilating
equipment to be determined by Engeneer.
Mechanical, Plumbing & Electrical to be checked and verified
by Customers MEP Engeneer.
Remote Condensing Units to be located by Architect.
Exhaust & Supply fans to be located by Architect.

Pool, Beach & Service Bare
Providenciales, T&C

ni-Source Supply

International In 2055 W 73rd Street, Miar Ph:(305)826-8696 Fax:(3

2	Changes based on Customer Review	6-25-15
3	Added Ice Machine to Service Bar	6-29-15
4	Updated Background, Added MEP Details	7-09-15
5	Added Factory Shop Drawings	10-08-15
No.	Revision/Issue	Date


Oct 08, 2015

Dayne Gauntlett

3/8" = 1'0"

Sheet

PB-1




ELECTRICAL SCHEDULE												
ITEM No.	DESCRIPTION	VOLTS	CYCLE	PHASE	AMPS	HP	NEMA	EQUIP. AFF	CONNECTION	ROUGH-IN AFF	QTY	ELECTRICAL REMARKS
3	BLENDER STATION	115	60	1	15			18.5"	J-BOX	16"	1	INTERCONNECT WITH OUTLET ON EQUIP.
6	BOTTLE COOLER	115	60	1	4	1/5	5-15P	12"	SIMPLEX	18"	1	8' CORD, DO NOT PLUG INTO GFI OUTLET
8	REFRIGERATED BACKBAR CABINET	115	60	1	3.6	1/5	5-15P	12"	SIMPLEX	18"	1	8" CORD & PLUG
9	DISHWASHER, UNDERCOUNTER	115	60	1	13.2	3/4		11.5"	J-BOX	18"	1	
13	BLENDER STATION	115	60	1	15			18.5"	J-BOX	16"	2	INTERCONNECT WITH OUTLET ON EQUIP.
16	BOTTLE COOLER	115	60	1	5.5	1/3	5-15P	12"	SIMPLEX	18"	1	8' CORD, DO NOT PLUG INTO GFI OUTLET
19	REFRIGERATED BACKBAR CABINET	115	60	1	6	1/4	5-15P	12"	SIMPLEX	18"	1	8" CORD & PLUG
32	BLENDER STATION	115	60	1	15			18.5"	J-BOX	16"	1	INTERCONNECT WITH OUTLET ON EQUIP.
36	REFRIGERATED BACKBAR CABINET	115	60	1	6	1/4	5-15P	12"	SIMPLEX	18"	2	8" CORD & PLUG
37	ICE CUBER WITH BIN	208-230	60	1	4.3			12"	J-BOX	18"	1	

<u>LEGEND - ELECTRICAL CONNECTIONS</u>

- DUPLEX RECEPT., 15—AMP, 120—VOLT, GROUND TYPE, HORIZONTAL MOUNT
- SIMPLEX RECEPT., 120-VOLT, GROUND TYPE, HORIZONTAL MOUNT
- SPECIAL PURPOSE OUTLET, GROUND TYPE, HORIZONTAL MOUNT
- GROUND TYPE, HORIZONTAL MOUN
- JUNCTION BOX, DIRECT CONNECTION

 DISCONNECT SWITCH, DIRECT CONNECTION
- FLOOR/CEILING RECEPTACLE AS INDICATED
- (2) Telephone + (2) Data
- ---- FIELD CONNECTIONS
- HARD WIRE CONNECTION POINT AT MACHINE



NOTE # E2
ALL NATIONAL, STATE, AND LOCAL CODES SHAL APPLY

NOTE # E3
ALL ELECTRICAL CONNECTIONS AND HARDWARE REQUIRED TO BE PROVIDED BY ELECTRICAL CONTRACTOR

NOTE # E4
ALL JUNCTION BOXES, OUTLETS, ETC. TO BE LOCATED SO AS TO NOT INTERFERE WITH EQUIPMENT

ETC. TO BE LOCATED SO AS TO NOT INTERFERE WITH EQUIPMENT

NOTE # E5
ALL RELAYS, CONTRACTORS,
STARTERS, AND SWITCHES
REQUIRED FOR EXHAUST & SUPPLY
FANS TO BE PROVIDED BY
ELECTRICAL CONTRACTOR
UNLESS SPECIFIED

NOTE # E6
ELECTRICAL CONTRACTOR TO
INTERCONNECT DISHMACHINE TO
EXHAUST FAN FOR DISHMACHINE
SO THAT THE FAN RUNS WHEN
THE DISHMACHINE IS IN
OPERATION.

NOTE # E7
ELECTRICAL CONTRACTOR TO
INSTALL TABLE LIMIT SWITCH TO
END OF CLEAN DISHTABLE TO
THAT MACHINE STOPS WHEN
SWITCH IS DEPRESSED.

NOTE # E8
ELECTRICAL CONTRACTOR TO
CONNECT DRAIN LINE HEATER,
PAN HEATER AND DOOR HEATER
FOR WALK-IN FREEZER.

Equipment ELECTRICAL Service Requirements

All Dimensions to be verified on the job site.
Actual locations for floor drains, and any ventilating equipment to be determined by Engeneer.
Mechanical, Plumbing & Electrical to be checked and verified by Customers MEP Engeneer.
Remote Condensing Units to be located by Architect.
Exhaust & Supply fans to be located by Architect.

Pool, Beach & Service Bar Providenciales, T&C

ni-Source Suppl International Inc.

Internation 2055 W 73rd Street Ph:(305)826-8696

2	Changes based on Customer Review	6-25-15
3	Added Ice Machine to Service Bar	6-29-15
4	Updated Background, Added MEP Details	7-09-15
5	Added Factory Shop Drawings	10-08-15
No.	Revision/Issue	Date

Date


Oct 08, 2015

Dayne Gauntlett


3/8" = 1'0"


Sheet


PB-3




PLUMBING SCHEDULE														
ITEM No.	DESCRIPTION	Cold Water Size	Cold Water AFF	Hot Water Size	Hot Water AFF	H&C Rough-In	Direct Waste Size	Direct Waste AFF	Indirect Waste Size	Gas Size(in)	Gas Conn. AFF	Gas	QTY	Plumbing Remarks
1	ICE BIN								1"				1	WASTE TO FLOOR SINK
3	BLENDER STATION	1/2"	30"	1/2"	30"	12"			1"				1	WASTE TO FLOOR SINK
5	UNDERBAR SINK UNITS	1/2"	30"	1/2"	30"	12"			1"				1	WASTE TO FLOOR SINK
7	STORAGE CABINET								1"				1	WASTE TO FLOOR SINK
9	DISHWASHER, UNDERCOUNTER			1/2"	2"	12"			1-3/8"				1	WASTE TO FLOOR SINK
11	ICE BIN								1"				2	WASTE TO FLOOR SINK
13	BLENDER STATION	1/2"	30"	1/2"	30"	12"			1"				2	WASTE TO FLOOR SINK
15	UNDERBAR SINK UNITS	1/2"	30"	1/2"	30"	12"			1"				1	WASTE TO FLOOR SINK
17	STORAGE CABINET								1"				1	WASTE TO FLOOR SINK
21	STORAGE CABINET								1"				1	WASTE TO FLOOR SINK
31	ICE BIN								1"				1	WASTE TO FLOOR SINK
32	BLENDER STATION	1/2"	30"	1/2"	30"	12"			1"				1	WASTE TO FLOOR SINK
35	STORAGE CABINET								1"				1	WASTE TO FLOOR SINK
37	ICE CUBER WITH BIN	3/8"	36"			12"			3/4"				1	CONNECT WITH FILTER, 3/8" FLARE









NOT TO SCALE

<u>LEGEND - PLUMBING CONNECTION</u>

HW-HOT WATER, OR CW-COLD WATER

WASTE, DIRECT—CONNECTED

FLOOR SINK Advance Tabco FDR-1212

₱ FLOOR DRAIN Josam 30000-A3 FUNNEL FLOOR DRAIN Josam 30000-E3 --- FIELD CONNECTIONS

CONNECTION POINT AT MACHINE

NOTE # P4
ALL NATIONAL, STATE, AND LOCAL
CODES SHAL APPLY

NOTE # P5
ALL PLUMBING CONNECTIONS TO
BE EXTENDED AND
INTERCONNECTED TO EQUIPMENT
AND ALL HARDWARE REQUIRED TO
BE PROVIDED BY PLUMBING
CONTRACTOR

NOTE # P6
PLUMBING CONTRACTOR TO VERIFY
THAT ALL EQUIPMENT IS
INSTALLED WITH THE
APPROPRIATE GAS PRESSURE AND
REGULATORS

NOTE # P7 ALL WASTE LINES AND CONDENSATE LINES TO BE EXTEND FROM EQUIPMENT TO FLOOR
DRAINS BY PLUMBING CONTRACTOR.

Equipment PLUMBING Service Requirements

All Dimensions to be verified on the job site.
Actual locations for floor drains, and any ventilating equipment to be determined by Engeneer.
Mechanical, Plumbing & Electrical to be checked and verified by Customers MEP Engeneer.
Remote Condensing Units to be located by Architect.
Exhaust & Supply fans to be located by Architect.


2055 W 73rd S Ph:(305)826-8 Added Ice Machine to Service Bar Updated Background, Added MEP Details Added Factory Shop Date

Street-8696

Oct 08, 2015 Dayne Gauntlett

3/8" = 1'0"

Sheet PB-4



Krowne Metal Corp.

100 Haul Road

Wayne, NJ 07470 800-631-0442

www.krowne.com

"We Raise the Bar"

PROJECT:

THE SHORE

ROYAL SERIES DEALER:

■ 1800 **□**2100

UNI-SOURCE

STANDARD SERIES | SCALE: 3/16"-1'-0" | DATE: 10.6.2015 | JOB#: 465614 | 1 OF 1 | 1800 | 2100 | APPROVAL:

The Shore Club

Pool, Beach & Service Bar

Providenciales, T&C

i-Source Supply

International In 2055 W 73rd Street, Miam Ph:(305)826-8696 Fax:(30

2	Changes based on Customer Review	6-25-15
3	Added Ice Machine to Service Bar	6-29-15
4	Updated Background, Added MEP Details	7-09-15
5	Added Factory Shop Drawings	10-08-15
No.	Revision/Issue	Date

Date

Oct 08, 2015

Dayne Gauntlett

NTS

Sheet

PB-5