



| ItemNo | Category | Mfr | Model | Quantity | Equipment Remark |
|------------|---|-------------------------|------------------|----------|------------------|
| 1 | Work Counters, Millwork | Millwork | COUNTER | 1 | By Owner/Operato |
| 2 | POS Terminals | POS | POS | 3 | By Owner/Operato |
| 3 | Soda Ice & Beverage Dispenser | Servend | 2706264 | 1 | By Owner/Operato |
| 4 | Floor Trough | Emjac | FFTG-1236 | 1 | |
| 11 | Rear Serving Counter | Emjac | COUNTER | 1 | |
| 11.1 | Overshelf | Emjac | OVERSHELF | 1 | |
| 11.2 | Hot Food Well Unit, Drop-In, Electric | Wells | SS-10TUI | 2 | |
| 11.3 | Hot Food Well Unit, Drop-In, Electric | Wells | MOD-400TDM/AF | 1 | |
| 11.4 | Deck Mount Faucet | Krowne | 15-310L | 1 | |
| 12 | French Fry Warmer | Hatco | GRFHS-PT26 | 1 | |
| 13 | Refrigerated Merchandiser | True | GDM-19T-HC~TSL01 | 1 | By Owner/Operate |
| 14 | Display Case, Hot Food, Countertop | Vollrath | 40733 | 1 | |
| 21 | Sandwich / Salad Preparation Refrigerator | True | TSSU-60-12-HC | 1 | Existing |
| 22 | Microwave Oven | ACP | RCS10TS | 1 | Existing |
| 22.1 | Microwave Oven, Shelf | Advance Tabco | MS-18-24 | 1 | Existing |
| 23 | Mobile Heated Cabinet | Alto-Shaam | 1000-UP | 1 | Existing |
| 26 | Chef Table | Emjac | CHEF TABLE | 1 | |
| 27 | Undercounter Refrigerator | True | TUC-60-32 | 1 | |
| 28 | Reach-In Undercounter Freezer | True | TUC-48F-HC | 1 | |
| 29 | Warming Drawer, Built-In | Wells | RW-26HD | 1 | |
| 31 | Gas Floor Fryer | Henny Penny | OFG341.0 | 3 | Existing |
| 32 | Fryer Dump Station | Henny Penny | FDS100.01 | 1 | Existing |
| 33 | Hotplate, Countertop, Gas | Southbend | HDO-36 | 1 | |
| 34 | Kettle, Gas, Tilting | Market Forge | FT-12CG | 1 | |
| 35 | Floor Trough | Emjac | FFTG-1824 | 1 | |
| 36 | Combi Oven, Electric | RATIONAL | B608106.19 | 1 | By Owner/Operate |
| 36.1 | Water Filtration System, for Steam Equipment | Everpure | EV979750 | 1 | |
| 37 | Rice / Grain Cooker Work Table, Stainless Steel Top | Hamilton Beach Emjac | 37590 KMS-423 | 2 | |
| 37.1 38 | Main Hood | Captive-Aire | HOOD - MAIN | 1 1 | Existing |
| 38.1 | Exhaust Fan | Captive-Aire | E FAN - MAIN | 1 1 | Existing |
| 38.2 | Supply Fan | Captive-Aire | S FAN - MAIN | 1 1 | Existing |
| 41 | Work Table, Stainless Steel Top | Emjac | KMS-3010.5 | 1 1 | |
| · · · | Sink | Emjac | TA-11J | 1 1 | |
| 41.1 | Deck Mount Faucet | Krowne | 15-310L | 1 1 | |
| 41.2 | Shelving, Wall Mounted | Emjac | WS-12-48 | 4 | |
| 42 | Undercounter Refrigerator | True | TUC-27-LP-HC | 1 | |
| 45 | Hand Sink | Advance Tabco | 7-PS-60 | 1 | Existing |
| 46 | Three (3) Compartment Sink | Advance Tabco | FC-3-1818 | 1 | Existing |
| 46.1 | Wall / Splash Mount Faucet | Krowne | 14-814L | 1 1 | Not in Drowing |
| 46.2 47 | Drain, Lever / Twist Waste Pot Rack | Krowne Emjac | 22-204 SW-60 | 3 | Not in Drawing |
| 48 | Mop Sink Cabinet | Emjac | 9-OPC-84DL | 1 1 | |
| 48 48.1 | Service Faucet | Krowne | 16-127 | 1 | |
| 48.1 | Wire Shelving | NEXEL | S1448N | 4 | |
| 49 51 | Enclosed Hose Reel | T&S Brass | B-1433 | 1 1 | |
| 52 | Ice Cuber | Hoshizaki | KM-650MAH-E | 1 1 | Existing |
| 52 | Ice Bin | Hoshizaki | B-300PF | 1 1 | Existing |
| F2 2 | Water Filtration System, for Ice Machines | Everpure | | <u> </u> | LXISHIII |
| 52.2 | Floor Trough | Emjac | EV932421 | 1 | |
| 53 | | | FFTG-1230 | 1 | By Owner/Operat |
| 61 | Walk-In Combo | Arctic Industries | WALK-IN | 1 | By Owner/Operate |
| 61.1 | Evaporator Condensing Unit | Arctic Industries | EVAP | 1 | By Owner/Operate |
| 61.2 | Condensing Unit | Arctic Industries | COND | 1 | By Owner/Operate |
| 61.3 | Evaporator Condensing Unit | Arctic Industries | EVAP | 1 | By Owner/Operate |
| 61.4 | Condensing Unit | Arctic Industries | COND | 1 | By Owner/Operate |
| 64 | Wire Shelving Unit | NEXEL | 18606N | 1 | D |
| 71 | Desk & Chair | Owner | DESK | 1 | By Owner/Operate |
| 73 | Locker | NEXEL | PT123KD | 3 | |
| 74 | Wire Shelving Unit | NEXEL | 18606N | 1 | |



Exhaust & Supply Fans to be located by Architect on Roof Not To Scale



Condensing Unit To be located by Architect on Roof Not To Scale

EQUIPMENT LAYOUT

All Dimensions to be verified on the job site.
Actual locations for floor drains, and any ventilating
equipment to be determined by Engeneer.
Mechanical, Plumbing & Electrical to be checked and verified
by Customers MEP Engeneer.
Remote Condensing Units to be located by Architect.
Exhaust & Supply fans to be located by Architect.

Fish Pot - 4 Kitchen Portmore, Jamaica



| 5 | New Layout from Kathryn | 11-6-18 |
|-----|---------------------------------|---------|
| 6 | Updated from □wner Comments. | 11-15-1 |
| 7 | Updated from □wner Comments. | 11-19-1 |
| 8 | Added MEP Sheets | 11-28-1 |
| No. | Revision/Issue | Date |


Nov 28, 2018


Dayne Gauntlett

3/8" = 1'0"

Sheet MK-1

Hood By Owner





<u>LEGEND - MECHANICAL</u> EXHAUST DUCT COLLAR SUPPLY DUCT COLLAR ---- INWALL BACKING FOR WALL SHELVES RECESSED FLOOR RAISED EQUIPMENT PAD

NOTE # M5_ ALL NATIONAL, STATE, AND LOCAL CODES SHAL APPLY NOTE # M6
ARCHITECT OR ENGINEER TO SIZE
AND LOCATE, CONTRACTOR TO
PROVIDE ALL OPENINGS FOR
DUCTS, PLUMBING LINES,
ELECTRICAL LINES, AND
REFRIGERATION LINES, AS
REQUITED BY EQUIPMENT.

NOTE # M7 SUPPLY FANS TO BE LOCATED A MINIMUM OF 10' FROM EXHAUST FANS.

NOTE # M8 SHOP DRAWING WILL BE PROVIDED BY MANUFACTURER FOR HOOD, EXHAUST FANS, & SUPPLY FANS, ONCE ORDER IS PLACE WITH. NOTE # M9 GENERAL CONTRACTOR TO PROVIDE ¾* PLYWOOD WALL BACKING FROM 42* TO 78* AFF FOR ALL WALL MOUNTED EQUIPMENT.

NOTE # M10 CEILING HEIGHTS TO BE VERIFIED FOR SUFFICIENT CLARENCE FOR EQUIPMENT. NOTE # M11
REFRIGERATION CONTRACTOR TO
HANG EVAPORATORS FOR
WALK-IN, RUN & CHARGE LINES
BETWEEN EVAP. & CONDENSING
UNIT.

Equipment **MECHANICAL Service Requirements**

All Dimensions to be verified on the job site.
Actual locations for floor drains, and any ventilating equipment to be determined by Engeneer.
Mechanical, Plumbing & Electrical to be checked and verified by Customers MEP Engeneer.
Remote Condensing Units to be located by Architect.
Exhaust & Supply fans to be located by Architect.

Fish Pot

t, Miami, FL 33016 Fax:(305)826-9131

Ph:(305)826-8696

73rd

2055


New Layout from Kathryn Added MEP Sheets Date Revision/Issue

Nov 28, 2018


Dayne Gauntlett


3/8" = 1'0"

Sheet **MK-2**



| | | | | E | ELECTR | ICAL | SCHEDULE | | | |
|-------|---|---------|-------|-------|---------|------|----------------|--------------|----------|--|
| temNo | Category | Voltage | Cycle | Phase | Amps | Нр | ConnectionType | Rough-In AFF | Quantity | Electrical Remarks |
| 2 | POS Terminals | 220 | 50 | 1 | tbd | | J-box | Floor | 3 | By Owner, Confirm Electrical |
| 3 | Soda Ice & Beverage Dispenser | 220 | 50 | 1 | tbd | | J-box | Floor | 1 | By Owner, Confirm Electrical |
| 11 | Rear Serving Counter | 120/208 | 50-60 | 1 | Verify | | J-Box | Floor | 1 | Main Incoming for Elec Panel |
| 11.2 | Hot Food Well Unit, Drop-In, Electric | 208-240 | 50-60 | 1 | 3.0 | | J-Box | n/a | 2 | Elec. Supply from #11 Elec. Panel |
| 11.3 | Hot Food Well Unit, Drop-In, Electric | 208/240 | 50-60 | 3 | 15.8 | | J-Box | n/a | 1 | Elec. Supply from #11 Elec. Panel |
| 12 | French Fry Warmer | 230 | 50 | 1 | 5.9 | | Floor | n/a | 1 | Elec. Supply from #11 Elec. Panel |
| 13 | Refrigerated Merchandiser | 230-240 | 50 | 1 | 2.4 | 1/3 | Simplex | n/a | 1 | Elec. Supply from #11 Elec. Panel |
| 14 | Display Case, Hot Food, Countertop | 120 | 50-60 | 1 | 12.0 | | Simplex | n/a | 1 | Elec. Supply from #11 Elec. Panel |
| 21 | Sandwich / Salad Preparation Refrigerator | 230-240 | 50 | 1 | 6.5 | 1/3 | Simplex | 18" | 1 | By Owner, Confirm Electrical |
| 22 | Microwave Oven | 230-240 | 50 | 1 | 13 | | Simplex | 72" | 1 | By Owner, Confirm Electrical |
| 23 | Mobile Heated Cabinet | 230 | 50-60 | 1 | 7.7 | | Special | 18" | 1 | By Owner, Confirm Electrical |
| 27 | Undercounter Refrigerator | 230 | 50-60 | 1 | 3.5 | 1/5 | Simplex | Floor | 1 | Stub up from Floor |
| 28 | Reach-In Undercounter Freezer | 230 | 50-60 | 1 | 2.1 | 1/2 | Simplex | Floor | 1 | Stub up from Floor |
| 29 | Warming Drawer, Built-In | 208-240 | 50-60 | 1 | 3.3-3.8 | | J-Box | Floor | 1 | Stub up from Floor |
| 31 | Gas Floor Fryer | 230 | 50 | 1 | 6.2 | | J-Box | 18" | 3 | |
| 32 | Fryer Dump Station | 230 | 50-60 | 1 | 3.0 | | Simplex | 18" | 1 | By Owner, Confirm Electrical |
| 34 | Kettle, Gas, Tilting | 220 | 50 | 1 | 1.0 | | J-Box | 18" | 1 | |
| 36 | Combi Oven, Electric | 220 | 50/60 | 1 | 28.0 | | J-Box | 18" | 1 | Confirm Elec with Ownership |
| 37 | Rice / Grain Cooker | 240 | 60 | 1 | 10.4 | | Simplex | 48" | 2 | |
| 38 | Main Hood | 115 | 50-60 | 1 | tbd | | J-Box | 108" | 1 | Elec for Lights in HoodBy Owner, Confirm Electrica |
| 38.1 | Exhaust Fan | 208 | 50 | 3 | tbd | | J-Box | 108" | 1 | By Owner, Confirm Electrical |
| 38.2 | Supply Fan | 208 | 50 | 3 | tbd | | J-Box | 108" | 1 | By Owner, Confirm Electrical |
| 41 | Work Table, Stainless Steel Top | 115/230 | 50 | 1 | 15 | | Duplex | 48" | 1 | Convenience Outlet, Confirm Elec w/ Owner |
| 42 | Undercounter Refrigerator | 230-240 | 50 | 1 | 1.8 | 1/6 | Simplex | 18" | 1 | |
| 52 | Ice Cuber | 220-240 | 50 | 1 | 6.8 | | J-Box | 72" | 1 | By Owner, Confirm Electrical |
| 61 | Walk-In Combo | 115 | 50 | 1 | 15 | | J-Box | ceiling | 1 | By Owner, Confirm Electrical |
| 61.1 | Evaporator | 220 | 50 | 1 | 10 | | J-Box | ceiling | 1 | By Owner, Confirm Electrical |
| 61.2 | Condensing Unit | 220 | 50 | 1 | 32 | | J-Box | 18" | 1 | By Owner, Confirm Electrical |
| 61.3 | Evaporator | 220 | 50 | 1 | 10 | | J-Box | ceiling | 1 | By Owner, Confirm Electrical |
| 61.4 | Condensing Unit | 220 | 50 | 1 | 32 | | J-Box | 18" | 1 | By Owner, Confirm Electrical |





Exhaust & Supply Fans to be located by Architect on Roof Not To Scale


To be located by Architect on Roof Not To Scale

Equipment

ELECTRICAL

LEGEND - ELECTRICAL CONNECTIONS

- DUPLEX RECEPT., 15-AMP, 120-VOLT, GROUND TYPE, HORIZONTAL MOUNT
- SIMPLEX RECEPT., 120-VOLT, GROUND TYPE, HORIZONTAL MOUNT
- SPECIAL PURPOSE OUTLET, GROUND TYPE, HORIZONTAL MOUNT
- JUNCTION BOX, DIRECT CONNECTION
- DISCONNECT SWITCH, DIRECT CONNECTION
- FLOOR/CEILING RECEPTACLE AS INDICATED
- (2) Telephone + (2) Data --- FIELD CONNECTIONS
- HARD WIRE CONNECTION POINT AT MACHINE



NOTE # E2 ALL NATIONAL, STATE, AND LOCAL CODES SHAL APPLY NOTE # E3
ALL ELECTRICAL CONNECTIONS
AND HARDWARE REQUIRED TO BE
PROVIDED BY ELECTRICAL
CONTRACTOR

NOTE # E4
ALL JUNCTION BOXES, OUTLETS,
ETC. TO BE LOCATED SO AS TO
NOT INTERFERE WITH EQUIPMENT

NOTE # E5
ALL RELAYS, CONTRACTORS,
STARTERS, AND SWITCHES
REQUIRED FOR EXHAUST & SUPPLY
FANS TO BE PROVIDED BY
ELECTRICAL CONTRACTOR
UNLESS SPECIFIED NOTE # E8 ELECTRICAL CONTRACTOR TO CONNECT DRAIN LINE HEATER, PAN HEATER AND DOOR HEATER FOR WALK-IN FREEZER.

NOTE # E6 ELECTRICAL CONTRACTOR TO INTERCONNECT DISHMACHINE TO EXHAUST FAN FOR DISHMACHINE SO THAT THE FAN RUNS WHEN THE DISHMACHINE IS IN OPERATION. Service Requirements NOTE # E7_ ELECTRICAL CONTRACTOR TO INSTALL TABLE LIMIT SWITCH TO END OF CLEAN DISHTABLE TO THAT MACHINE STOPS WHEN SWITCH IS DEPRESSED.

All Dimensions to be verified on the job site.
Actual locations for floor drains, and any ventilating equipment to be determined by Engeneer.

Mechanical, Plumbing & Electrical to be checked and verified

by Customers MEP Engeneer.
Remote Condensing Units to be located by Architect.
Exhaust & Supply fans to be located by Architect.



:(305)826-9131

9698-

Ph:(305)826

2055

| 5 | New Layout from Kathryn | 11-6-18 |
|-----|---------------------------------|----------|
| 6 | Updated from □wner Comments. | 11-15-18 |
| 7 | Updated from □wner Comments. | 11-19-18 |
| 8 | Added MEP Sheets | 11-28-18 |
| No. | Revision/Issue | Date |
| | | |

Nov 28, 2018


Dayne Gauntlett


3/8" = 1'0"


Sheet

MK-3









NOTE # P3 TYPICAL GAS LINE PLUMBING

NOT TO SCALE

LEGEND - PLUMBING CONNECTION

- GAS
- WASTE, DIRECT—CONNECTED

HW-HOT WATER, OR CW-COLD WATER

- WASTE, INDIRECT to Floor Sink
- ₱ FLOOR DRAIN Josam 30000-A3
- FUNNEL FLOOR DRAIN Josam 30000-E3

 $\int \int FLOOR SINK Zurn FD-2370-Y-PV4-F$

NOTE # P4 ALL NATIONAL, STATE, AND LOCAL CODES SHAL APPLY

NOTE # P5
ALL PLUMBING CONNECTIONS TO
BE EXTENDED AND
INTERCONNECTED TO EQUIPMENT
AND ALL HARDWARE REQUIRED TO
BE PROVIDED BY PLUMBING
CONTRACTOR

NOTE # P6
PLUMBING CONTRACTOR TO VERIFY
THAT ALL EQUIPMENT IS
INSTALLED WITH THE
APPROPRIATE GAS PRESSURE AND REGULATORS

NOTE # P7 ALL WASTE LINES AND CONDENSATE LINES TO BE EXTEND FROM EQUIPMENT TO FLOOR
DRAINS BY PLUMBING CONTRACTOR.

Equipment PLUMBING Service Requirements

All Dimensions to be verified on the job site. Actual locations for floor drains, and any ventilating equipment to be determined by Engeneer.

Mechanical, Plumbing & Electrical to be checked and verified by Customers MEP Engeneer.

Remote Condensing Units to be located by Architect. Exhaust & Supply fans to be located by Architect.

-9131

:(305)826

Fax

9698

Ph:(305)826

2055





| 5 | New Layout from Kathryn | 11-6-18 |
|-----|---------------------------------|----------|
| 6 | Updated from □wner Comments. | 11-15-18 |
| 7 | Updated from □wner Comments. | 11-19-18 |
| 8 | Added MEP Sheets | 11-28-18 |
| No. | Revision/Issue | Date |
| | | |


Nov 28, 2018 Dayne Gauntlett


3/8" = 1'0"

Sheet MK-4









Fish Pot



| 5 | New Layout from Kathryn | 11-6-18 |
|-----|---------------------------------|---------|
| 6 | Updated from □wner Comments. | 11-15-1 |
| 7 | Updated from □wner Comments. | 11-19-1 |
| 8 | Added MEP Sheets | 11-28-1 |
| No. | Revision/Issue | Date |
| | | |

Nov 28, 2018 Dayne Gauntlett

1/2" = 1'

MK-5